

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687780701439

अनुबंध तिथि | Generated Date : 27-Feb-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4220332](#)

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
<p>प्ररूप   Type : Central Government</p> <p>मंत्रालय   Ministry : Ministry of Chemicals and Fertilizers</p> <p>विभाग   Department : Department of Fertilizers</p> <p>संगठन का नाम   Organisation Name : Talcher Fertilizers Limited</p> <p>कार्यालय क्षेत्र   Office Zone: Noida</p>	<p>पद   Designation : Sr Officer</p> <p>संपर्क नंबर   Contact No. : 06760-261260-</p> <p>ईमेल आईडी   Email ID : buycon4.tfl.up@gembuyer.in</p> <p>जीएसटीआईएन   GSTIN : 21AAFCT8667A1ZH</p> <p>पता   Address : Talcher Fertilizers Limited, FCI Administrative Building, Talcher, Post: Vikrampur, Dist. Angul, Odisha-759106, ANGUL, ODISHA-759106, India</p>

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
<p>आईएफडी सहमति   IFD Concurrence : No</p> <p>प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: PLANT MANAGER</p> <p>वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: PLANT MANAGER</p>	<p>Role: PAO</p> <p>भुगतान का तरीका   Payment Mode: Offline</p> <p>पद   Designation : AM FIN 1</p> <p>ईमेल आईडी   Email ID : pao4.tfl.or@gembuyer.in</p> <p>जीएसटीआईएन   GSTIN : 21AAFCT8667A1ZH</p> <p>पता   Address: Talcher Fertilizers Limited, FCI Administrative Building, Talcher, Post: Vikrampur, Dist. Angul, Odisha-759106, Angul, ODISHA-759106, India</p>

विक्रेता विवरण   Seller Details
<p>जेम विक्रेता आईडी   GeM Seller ID : K1BP220005664215</p> <p>कंपनी का नाम   Company Name : EWIT INFOTECH</p> <p>संपर्क नंबर   Contact No. : 09818410006</p> <p>ईमेल आईडी   Email ID : ewitrv@gmail.com</p> <p>पता   Address : PLOT NO.2,Dwraka,Kakraula,West Delhi, South West delhi, DELHI-110078, -</p> <p>एमएसएमई सत्यापित   MSME verified : No</p> <p>एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-DL-10-0035361</p> <p>एमएसएमई सामाजिक श्रेणी   MSE Social Category : General</p> <p>एमएसएमई लिंग श्रेणी   MSE Gender : Female</p> <p>जीएसटीआईएन   GSTIN: 07AAJFE5661J1Z5</p>

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण   Product Details						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : ewit Grey CAT6 U/UTP Cable for Indoor use 305 mtrs. ब्रांड   Brand : ewit ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Cat 60 Cable for Indoor use (Q2) मॉडल   Model: EW-CAT6UTP एचएसएन कोड   HSN Code: HSN not specified by seller	1,220	meter	19.99	NA	24,387.8
कुल ऑर्डर मूल्य   Total Order Value (in INR)						24,387.8

परेषिती विवरण   Consignee Detail						
क्र.सं.   S.No	परेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
	पद   Designation : -					

1	ईमेल आईडी   Email ID : buycon15.tfl.or@gembuyer.in संपर्क   Contact : - जीएसटीआईएन   GSTIN : - पता   Address : Talcher Fertilizers Limited, FCI Administrative Building, Talcher, Post: Vikrampur, Dist. Angul, Odisha-759106, ANGUL, ODISHA-759106, India	ewit Grey CAT6 U/UTP Cable for Indoor use 305 mtrs.	-	1,220	27-Feb-2024	12-Apr-2024
Product Specification for ewit Grey CAT6 U/UTP Cable for Indoor use 305 mtrs.						
विनिर्देश   Specification		उप-विनिर्देश   Sub-Spec				मूल्य   Value
GENERIC	Cate 6 cable conforming to ANSI/TIA/EIA-568 C.2 latest or ISO/IEC:11801 latest					Yes
	Cable category: Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair or Category 6 Shielded /Foiled Twisted Pair					CAT6 U/UTP
	Cable colour					Grey
	Conductor diameter					0.51 mm (24 AWG)
	Conductor count (in Nos.,)					8
	Length of cable in a bundle (Mtrs)					305 mtrs.
CONSTRUCTIONAL	"CAT6 Cable can transmit data at 1000 Mbps (~1 Gigabit per second) with a frequency of 250 MHz and suitable for 10BASE-T, 100BASE-TX Fast Ethernet and 1000BASE-T / 1000BASE-TX (Gigabit Ethernet)."					Yes
	Maximum DC resistance - in Ohm/Km					Max. 100 Ohm/Km
	Conductor Materail					Bare Copper
	Conductor Insulation Material					Polyethylene
	Cable jacket material					Fire retardant PVC
	Conductor stranding					Solid
	Cable should have internal cross separator					Yes
	Storage temperature range					0 deg.C to 50 deg.C
	Operating temperature range					minus 20 degree C to plus 60 degree C
	Each meter printed with sequential length counter of cable apart from marking requirement as per relevant specifications and certifications					Yes
CERTIFICATIONS	Category 6 cable shall have valid verified certificate from ERTL/ETL /Intertek/3P /GHMT /Delta/UL as per CAT 6 standards ANSI/TIA/EIA-568 C.2 latest or ISO/IEC:11801 latest					Yes
	If "Yes" Certificate Number - Must declare					0
	UL Marking on Cable					Yes
	Availability of complete and satisfactory type test Report from Central Government / NABL/ ILAC accredited laboratory to conformity of the Specification					Yes
	Test report Number					0
	Report date					0
	Name and address of Lab					0
	All the test reports and certificates shall furnish to the buyer/consignee on demand					Yes
खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए   Buyer Defined Additional Specification for ewit Grey CAT6 U/UTP Cable for Indoor use 305 mtrs.						
विनिर्देश   Specification					मूल्य   Value	
1. CAT 6 cable Conforming to ANSI/TIA/EIA-568 C.2 latest or ISO/IEC:11801 latest 2. Each Meter printed with sequential length counter of cable apart from marking requirement as per relevant specifications and certifications					1. Yes 2. Yes	
3. Conductor Count (in Nos.) 4. Cable should have internal cross separator 5. Category 6 Cable shall have valid verified certificate from ERTL/ETL/Intertek/3P/GHMT/Delta/UL as per CAT 6 standards ANSI/TIA/EIA-568 C.2/latest or ISO/IEC:11801 latest					3. 8 4. Yes 5. Yes	
6. CAT 6 Cable can transmit data at 1000 Mbps (~1 Gigabit per second) with a frequency of 250 MHz and suitable for 10BASE-T, 100BASE-TX Fast Ethernet and 1000BASE-T/1000BASE-TX (Gigabit Ethernet)." 7. Conductor Stranding					6. Yes 7. Solid	
8. Maximum DC Resistance in Ohm/Km 9. Availability of Complete and satisfactory type test report from central Government/NABL/ILAC accredited laboratory to conformity of the specification					8. Max. 100 Ohm/Km 9. Yes	
10. Conductor Material 11. All the test reports and certificates shall furnish to the buyer/consignee on demand 12. Conductor Insulation Material					10. Bare Copper 11. Yes 12. Polyethylene	
1. CAT 6 cable Conforming to ANSI/TIA/EIA-568 C.2 latest or ISO/IEC:11801 latest 2. Each Meter printed with sequential length counter of cable apart from marking requirement as per relevant specifications and certifications					1. Yes 2. Yes	
3. Conductor Count (in Nos.) 4. Cable should have internal cross separator 5. Category 6 Cable shall have valid verified certificate from ERTL/ETL/Intertek/3P/GHMT/Delta/UL as per CAT 6 standards ANSI/TIA/EIA-568 C.2/latest or ISO/IEC:11801 latest					3. 8 4. Yes 5. Yes	

6. CAT 6 Cable can transmit data at 1000 Mbps (~1 Gigabit per second) with a frequency of 250 MHz and suitable for 10BASE-T, 100BASE-TX Fast Ethernet and 1000BASE-T/1000BASE-TX (Gigabit Ethernet)." 7. Conductor Stranding	6. Yes 7. Solid
8. Maximum DC Resistance in Ohm/Km 9. Availability of Complete and satisfactory type test report from central Government/NABL/ILAC accredited laboratory to conformity of the specification	8. Max. 100 Ohm/Km 9. Yes
10. Conductor Material 11. All the test reports and certificates shall furnish to the buyer/consignee on demand 12. Conductor Insulation Material	10. Bare Copper 11. Yes 12. Polyethylene

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक   Advisory Bank :	NA
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.  
1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address  
  
Talcher Fertilizers Limited (TFL), Administrative Building, Talcher, Post- Vikrampur, Dist Angul, Odisha- 759106  
Talcher Fertilizers Limited (TFL), Administrative Building, Talcher, Post- Vikrampur, Dist Angul, Odisha- 759106  
Talcher Fertilizers Limited (TFL), Administrative Building, Talcher, Post- Vikrampur, Dist Angul, Odisha- 759106  
Talcher Fertilizers Limited (TFL), Administrative Building, Talcher, Post- Vikrampur, Dist Angul, Odisha- 759106  
Talcher Fertilizers Limited (TFL), Administrative Building, Talcher, Post- Vikrampur, Dist Angul, Odisha- 759106  
.

2.3 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2.4 Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.5 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses  
  
Prospective make for the rate of items to be quoted and items to be supplied shall be D-Link or Digisol or Digilink only.

Technical Bid Evaluation Criteria (BEC)

Experience Criteria [Year(s) of Experience with Govt. / CPSU] : 2 Years

BEC for Startup firm or organizations

Relaxation of Prior experience is to be given to the specific goods domain wherein the startups are registered for. New Startup “Certificate of Recognition” is stipulating “Industry” and “Sector” as domain of startup.

The startup industry & sector is mentioned below:

Sl. No.	Domain	
	Focus Industry	Focus Sector
1.	Telecommunication & Net working	Network Technology Solutions

.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.